

THE L2000 PRODUCT GUIDE



Enhanced Performance. Trackable ROI.

The L2000 is a complete fleet tracking and heavy equipment solution that enhances operating performance and increases your business' Return-on-Investment.

Serving businesses in a variety of markets such as fleet and transport, professional services, construction, municipal, and more the L2000 allows for transparent communication between all drivers, vehicles and dispatch.

This real-time insight from actionable data helps reduce costs, increase response times, and makes for a more convenient and well run business on all ends.



Key Features

Features are only as good as how much they help the business improve. The L2000's top of the line hardware and software has something for every business need while staying true to the bottom line.

- Real-time Tracking and Reports
- Dispatch Communication and Use
- Power and Durability
- Integration and Unit Services





Real Time TRACKING + REPORTS

with the L2000

Actionable Insight Leads to Measurable Results

The L2000 comes equipped with up to the minute tracking and reporting for all of your fleet and transport management needs. Whether you are looking to save on fuel costs, increase response times, or organize operations you can find it here.

- State Mile Reporting
- Time Sheets for Trip Times
- Real-Time Vehicle Location
- Historical Movements of Vehicle
- Vehicle Maintenance Alerts and Reports
- Color Coded Vehicle Status
- Unlimited Landmarks
- Geofences - Polygon Style for Customized Fences - 40 Per Unit
- Idling Times
- Real-Time Geofencing Alerts
- After Hours Vehicle Monitoring
- Speed and Reports
- History Stored from Life of Install; Indefinitely - Not 'Archived'
- Fastest Web-Interface Speeds in the Industry
- Free Training and Tech Support
- Software Engineers are All In-House

Get Report Or generate report as: Report Report Print

[+] Help

Landmark Report for: 500230

Landmark Name	Dates and Times	Time at Landmark
ETX STT Chireno	ETX STT Chireno, Chireno, TX	2 hours, 57 minutes, 53 seconds
	04:44 AM 08/26/2011 to 07:42 AM 08/26/2011	
Washout Express	Washout Express, Nacogdoches, TX	58 minutes
	08:12 AM 08/26/2011 to 09:10 AM 08/26/2011	
ETX STT Chireno	ETX STT Chireno, Chireno, TX	22 hours, 1 second
	09:40 AM 08/26/2011 to 07:40 AM 08/27/2011	
Red River 620 A & B	Red River 620 A & B, Center, TX	1 minute, 32 seconds
	09:03 AM 08/27/2011 to 09:04 AM 08/27/2011	
Red River #619 #1	Red River #619 #18#2, Center, TX	2 minutes, 41 seconds
	10:20 AM 08/27/2011 to 10:20 AM 08/27/2011	
Red River #619 #1	Red River #619 #18#2, Center, TX	2 minutes, 41 seconds
	10:45 AM 08/27/2011 to 10:49 AM 08/27/2011	
ETX STT Chireno	ETX STT Chireno, Chireno, TX	1 day, 3 hours, 33 minutes, 14 seconds
	11:34 AM 08/27/2011 to 03:07 PM 08/28/2011	

Landmark	Total time at Landmark
ETX STT Chireno	2 days, 4 hours, 31 minutes, 8 seconds
Washout Express	58 minutes
Red River 620 A & B	1 minute, 32 seconds
Red River #619 #1	2 minutes, 41 seconds

State Miles Report for: 12345

State	Event	Address
TX	Enter	216 Richey Rd Houston TX
TX	Exit	I-45 Madisonville TX
OK	Enter	I-40 Oklahoma City OK
OK	Exit	10099 NW 2nd St Oklahoma
VA	Enter	759 Oakland Cir Raphine V
VA	Exit	Raphine VA
AR	Enter	316 W Woodruff Ave Searcy
AR	Exit	I-55 West Memphis AR
TN	Enter	I-240 Memphis TN
TN	Exit	5013 Lamar Ave Memphis T
MS	Enter	US-78 Byhalia MS

Monday, October 17, 2011

Event	Address
Idle	201 Beatrice Ln, Talladega, AL
Idle	1946 Stemley Bridge Rd, Talladega, AL
Idle	, Lincoln, AL
Idle	, Huntsville, AL
Idle	, Huntsville, AL
Idle	1862 Jordan Ln Nw, Huntsville, AL
Idle	, Huntsville, AL
Idle	, Huntsville, AL
Idle	1947 Stemley Bridge Rd, Talladega, AL

Advanced OPERATIONS + PERFORMANCE

with the L2000

3



Dispatch and Communication

- Web-Based - View from Mobile
- 2-way Dispatch Communication
- Routing and Dispatch Accuracy
- *Turn by Turn Route Guidance
- Instant Alerts Via Text or Email



Power and Durability

- Self Contained; Weather Resistant
- Magnetic Enclosure
- Back-Up Battery
- *Upgraded External Back-Up Battery for Long Hauls



Integration and Unit Services

- Garmin unit
 - 2-way Text Messaging Dispatch to Driver
 - Driver to Driver
 - Load Routes
 - Custom Reports
 - Navigation
- Temperature Monitoring
- IFTA - ProMiles Compliant
- Driver Identification



**Item is an option and may incur additional fees.*

L2000 TECHNICAL SPECIFICATIONS

4

Call for More Information



CALL TODAY

866-320-5810

Certification

- PTCRB/FCC/IC
- Motorola Magnet Certification
- UL/CSA/CE/E Marke

Interoperable Devices

- DPAs - HP Jornada, Compaq iPAQ, Palm
- Palm OS / Windows CE
- Laptop Computers
- WebTech Mobile Data Terminals

Networks Supported

- GSM.SMS.GPRS 850/1900 MHz or
- 900/1800MHz

Physical Specifications

- Dimensions -105 x 95 x 30mm
- (4.3" x 3.75" x 1.182")
- Weight -125g (4.408 oz)

Power Requirement

- Power -input VDC
- Voltage - 9 - 36
- Current Draw -Transit 1000 mA
- (maximum bursts)
- -Standby (receive)- 100 mA
- -sleep (ignition off) - 10 mA

Connectors

- RS-232-DCE-DB-9 CONNECTOR
- Power - 3 Wire (ignition, battery, ground)
- RF - SMA (female)
- GPA - SMC (female)

Protocols

- PPP on Serial Port, to 57.6k baud
- NMEA
- Transparent Pass Through
- Command Mode

**Questions? Need Answers? Call Us
866-320-5810**

